

RI 332

## RI 332 D 3-IS-L IE2

The RI 332 D 3-IS-L IE2 industrial vacuum offers a visual filling level display and drainage hose. The machine features a pocket filter in filter class "L" and is suitable for vacuuming swarf and coolants.

**Order number: 9.986-393.0**



### Technical Data

|                              |                 |
|------------------------------|-----------------|
| Ringler Item No.             | -               |
| Rated input power (kW)       | 3               |
| Voltage (Ph/V/Hz)            | 3/345-415/50-60 |
| Sound pressure level (dB(A)) | 68              |
| Dimensions (L x W x H) (mm)  | 910x760x2000    |
| Container capacity (l)       | 100             |
| Weight (kg)                  | 148             |

## Details

### **Beschreibung**

For machine cleaning: the RI 332 D 3-IS-L IE2 industrial vacuum features a filter in filter class "L" and is suitable for vacuuming swarf with coolants, granulate, grey cast iron and coarse dust. The 100-litre waste container can be set down and lifted up again easily with the set-down mechanism. Coolants can be conveniently recirculated via a drainage hose. The filling level can be checked at a glance at any time. The powerful, durable side channel blower is designed for shift operation.

---

## Zubehör

### Other nozzles

#### Surface nozzle, aluminium

Surface nozzle, aluminium, width 150mm, DN 52

Order number 6.902-187.0



### Suction nozzles

#### Bypass nozzle DN 50

Order number 9.981-427.0

